

PATENT NUMBER

**U.S. UTILITY Patent Application**

**O.L.P.E.**

**PATENT DATE**

SCANNED

Q.4

APPLICATION NO.  
09/8427

CONT/PRIOR	
D F	

**CLASS**  
**435**

SUBCLASS  
7.32

ART UNIT  
155

**EXAMINER**

**PLICANTS** Christian Reiter  
Gerhard Cullmann  
Ulrike Friedrichs  
Petra Heppner

BEST AVAILABLE COPY

## New method for detecting acid-resistant microorganisms in the stool

PTO-2040  
12/89

**ISSUING CLASSIFICATION**

[illegible]☐ Continued on Issue Slip Inside File Jacket

☐ **TERMINAL  
DISCLAIMER**

## DRAWINGS

**Sheets Drwg.**

**Figs. Drwg.**

Print Fig.

**CLAIMS ALLOWED**

### Total Claims

### Print Claim for O.G.

☐ The term of this patent subsequent to \_\_\_\_\_ (date) has been disclaimed.

☐ The term of this patent shall not extend beyond the expiration date of U.S. Patent No. \_\_\_\_\_

☐ The terminal \_\_\_\_\_ months of this patent have been disclaimed.

**NOTICE OF ALLOWANCE MAILED**

**ISSUE FEE**

Amount Due

Date Paid

**ISSUE BATCH NUMBER**

**WARNING:**

The information disclosed herein may be restricted. Unauthorized disclosure may be prohibited by the United States Code Title 35, Sections 122, 181 and 368. Possession outside the U.S. Patent & Trademark Office is restricted to authorized employees and contractors only.

Form PTO-436A  
(Rev. 6/98)

FILED WITH: ☐ DISK (CRF) ☐ FICHE ☐ CD-ROM  
(Attached in pocket on right inside flap)

**(FACE)**